


MULTIDROP TWINY



Multidrop is a multi-purpose depositor. Four rollers built-in head, controlled by pc allows a huge range of double colors cookies production. Two doughs can be deposited at once, or filling can be done inside the encrusted cookies.

ALL MACHINES ARE EQUIPPED WITH:

- st/st frame and brake castors
- easily removable table
- head easy to disassemble and wash
- hard dough head hdd + soft dough sdd
- touch screen control, with graphic colour display tft 7,5" 640x480 pixel with high resolution
- "CE" compliance certificate



	Trays size		Hopper capacity	Strokes		Tension	Power	Weight
	Width	Max. Length		Depositor	Wire cut			
	mm	mm		n°/min.	n°/min.	Volt	kW	Kg
TWINY 6066	580-660	800	2x40	35	50	400/3N~/50	3,3	710

Max strokes/min. related to average 1 sec. rollers head rotation

CONFIGURATION

✓ DI SERIE / STANDARD ✓ OPZIONALE / OPTIONAL • NON DISPONIBILE / NOT AVAILABLE - NON DISPONIBILE / NOT AVAILABLE	TWINY 60/66								
	FXE	FXR	FXL	FXEM	FXRM	FXLM	FXEMM	FXRMM	FXLMM
TIPO PRODOTTI / TYPE DE PRODUIT									
Colato tondo fisso (CTF) Cowle round fixe (CTF) Colato tondo fisso (CTF) Deposited round fixed (CTF) Colato tondo torsadé (CTG) Colato tondo girato (CLF) Deposited round twisted (CTG) Colato lungo fisso (CLF) Deposited long fixed (CLF) Colato lungo torsadé (CLG) Colato lungo girato (CLG) Fiamma Deposited long twisted (CLG) Fiamma Taglio a filo (TF) Coupe à fil (TF) Taglio a filo (TF) Wire Cut (TF)	FUNZIONI / LES FONCTIONS								
Testata paste dure + paste dure (HDD+HDD) Tête pâtes dures + pâtes dures (HDD+HDD) Testata paste dure + paste morbide (HDD+SDD) Hard dough + hard dough head (HDD+HDD) Testata paste dure + pâtes molles (HDD+SDD) Tête pâtes dures + pâtes molles (HDD+SDD) Testata paste morbide + paste morbide (SDD+SDD) Hard dough + soft dough head (HDD+SDD) Testata paste morbide + pâtes molles (SDD+SDD) Tête pâtes molles + pâtes molles (SDD+SDD) Testata paste morbide + paste morbide (SDD+SDD) Soft dough + soft dough head (SDD+SDD) Rotazione rulli testata con inverter ⁽¹⁾ Rotation rouleaux tête par convertisseur de fréquence Rotazione rulli testata con inverter ⁽¹⁾ Head roller rotation by frequency converter Avanzamento automatico padelle con motore brushless ⁽²⁾ Avance automatique des plaques par moteur brushless Avanzamento automatico padelle con motore brushless ⁽²⁾ Automatic advancement of the table by brushless motor Movimento verticale automatico del tavolo con motore brushless ⁽³⁾ Movement vertical automatic of the table by brushless motor Movimento verticale automatico del tavolo con motore brushless ⁽³⁾ Automatic vertical movement of the table by brushless motor									
Rotazione bocchette motorizzata bidirezionale con inverter + encoder ⁽²⁾ Rotation bouches motorisée bidirectionnelle avec convertisseur de fréquence et encodeur Taglio filo con inverter Wire cut with frequency converter Taglio filo con inverter Coupe à fil avec convertisseur de fréquence									